



# Solvent DEEA-9010

## PRODUCT SPECIFICATION

07.05.2020

<b>Trade name:</b>	<b>Solvent DEEA-9010</b>
<b>Chemical name:</b>	<b>Denatured Ethanol and Acetic ester</b>
<b>Description:</b>	<b>Professional solvent for printing industry</b>
<b>Product type:</b>	<b>Ready for use</b>
<b>Appearance:</b>	<b>Clear, colorless, without mechanical admixtures</b>
<b>Viscosity:</b>	<b>0.52 mPa*s 20 °C</b>
<b>Density at 20°C:</b>	<b>0.81 g/cm<sup>3</sup></b>
<b>Boiling point:</b>	<b>78.04 °C</b>
<b>Melting point:</b>	<b>-106 °C</b>
<b>UN number</b>	<b>UN 1263</b>
<b>Packing:</b>	<b>bulk, buyer's iso-tanks or tank-trucks, 1000Lit IBC, 640 lit IBC, 216,5 lit plastic drums.</b>

## CERTIFICATE OF QUALITY NR 1119-12

Parameters	Unit	Value Standart	Value Fact	Test method
Ethanol content before denaturation 20 °C	% (v/v)	> 89.5	89.6	EN 15721
Methanol content	% (m/m)	< 0.1	0.04	EN 15721
Higher saturated (C3-C5) mono-alcohols content	% (m/m)	< 0.2	0.05	EN 15721
Acetic ester	L	10 L per 100 L of absolute ethanol	10.0	
Isopropyl alcohol (IPA)	L	1 L per 100 L of absolute ethanol	1.0	
Methyl ethyl ketone (MEK)	L	1 L per 100 L of absolute ethanol	1.0	
Denatonium benzoate	G	1 g per 100 L of absolute ethanol	1.0	